Extensive Journal of Applied Sciences
Available online at www.ejasj.com ©2025 EJAS Journal-2025-06-30, 28-33

Quantum Entanglement And Coherence In Macroscopic Systems: Theoretical And Experimental Insights

[1]Huma Saleem[*], [2]Hassan Qureshi
[1]Department of Media Studies, Riphah International University, Islamabad, Pakistan.
[2]Department of Physics, Lahore University of Management Sciences (LUMS), Pakistan.
Corresponding author: huma.saleem@riphah.edu.pk

ABSTRACT: Quantum entanglement and coherence, traditionally studied in microscopic systems, have recently been observed and manipulated in macroscopic platforms. These phenomena play a critical role in understanding the boundary between classical and quantum physics and in developing quantum technologies such as superconducting qubits, optomechanical resonators, and atomic ensembles. This article reviews theoretical models, numerical simulations, and experimental techniques used to probe entanglement and coherence in large-scale systems. Five thematic outlines are presented, with one outline including two graphs illustrating (i) time evolution of entanglement in a macroscopic oscillator system, and (ii) coherence decay under environmental coupling. Applications, limitations, and future directions are discussed to provide a comprehensive perspective.
***Keywords*:** Quantum Entanglement, Coherence, Macroscopic Systems, Quantum Measurement.

INTRODUCTION

Quantum entanglement and coherence form the basis of nonclassical correlations and superposition in quantum mechanics. While these effects are well-understood in atomic and photonic systems, their manifestation in macroscopic systems presents both experimental challenges and fundamental insights [1–3]. Observing entanglement in large-scale systems provides a deeper understanding of decoherence mechanisms, the classical-quantum boundary, and potential applications in quantum information processing [4–6].

Experimental platforms include superconducting circuits, optomechanical resonators, trapped ions, and Bose-Einstein condensates. Techniques such as state tomography, Wigner function reconstruction, and interferometric measurements allow the detection and quantification of entanglement and coherence in macroscopic regimes [7–9]. Numerical simulations using master equations and density matrix formalism complement experimental studies, enabling exploration of decoherence and environmental effects [10–12].

1. Theoretical Models of Macroscopic Quantum Coherence

Macroscopic Quantum Coherence

Macroscopic quantum coherence refers to the emergence of coherent quantum behavior in systems composed of many particles or degrees of freedom. Unlike microscopic systems, these macroscopic systems are highly susceptible to decoherence due to environmental interactions, making theoretical modeling essential for understanding and controlling coherence in realistic scenarios [13].

Density Matrix Formalism

The density matrix formalism provides a rigorous framework to describe the statistical state of open quantum systems. By representing both pure and mixed states, it allows the calculation of expectation values, coherences, and populations while explicitly incorporating the effects of environmental interactions. This formalism is fundamental for quantifying coherence in macroscopic quantum systems.

Master Equations for Open Systems

Master equations, such as the Lindblad or Redfield equations, describe the time evolution of the reduced density matrix under the influence of an environment. These equations capture relaxation, dephasing, and energy dissipation, enabling prediction of coherence lifetimes, population dynamics, and the impact of thermal and quantum noise on macroscopic quantum states.

Hamiltonian Models for Superconducting Qubits

Hamiltonian formulations model the intrinsic dynamics of macroscopic quantum systems. In superconducting qubits, the Josephson junction Hamiltonian governs the energy levels and tunneling between quantum states. For optomechanical resonators and atomic ensembles, Hamiltonians capture coupling between electromagnetic, mechanical, and spin degrees of freedom, providing the foundation for coherent control and quantum information processing.

Decoherence from Environmental Coupling

Decoherence arises from interactions with phononic, photonic, and thermal environments, which disrupt phase relationships between quantum states. Modeling these couplings is essential for predicting coherence times, understanding loss mechanisms, and designing strategies to mitigate decoherence in superconducting circuits, optomechanical systems, and collective atomic states.

Non-Markovian and Strong-Coupling Effects

Many macroscopic quantum systems operate in regimes where environmental interactions are strong or memory effects are significant. Non-Markovian master equations and advanced Hamiltonian treatments account for these effects, allowing accurate modeling of long-lived coherence, environment-assisted transport, and dynamical decoupling strategies to protect quantum states.

Implications for Quantum Technologies

Theoretical models of macroscopic quantum coherence guide the design of quantum devices, including superconducting qubits, optomechanical systems, and atomic ensemble-based memories. Understanding the interplay between intrinsic Hamiltonian dynamics and environmental decoherence enables the engineering of robust quantum states for computation, sensing, and communication applications.

2. Experimental Probes of Entanglement and Coherence

Quantum State Tomography in Macroscopic Superconducting Circuits: Reconstructing Quantum States

Quantum state tomography is a powerful experimental technique used to reconstruct the full density matrix of a quantum system, providing complete information about both populations and coherences. In macroscopic superconducting circuits, such as transmon qubits or flux qubits, this method involves performing a series of measurements in different bases to infer the quantum state. Quantum state tomography allows precise characterization of entanglement, coherence times, and fidelity of quantum operations, which is essential for validating superconducting quantum processors and exploring fundamental aspects of macroscopic quantum behavior.

Interferometric Measurements in Optomechanical Systems: Observing Coherence

Interferometric techniques are widely employed in optomechanical systems to probe quantum coherence and correlations between light and mechanical motion. By monitoring interference patterns of photons coupled to vibrating mechanical elements, researchers can detect minute displacements, quantum superpositions, and coherent oscillations. These measurements enable the study of decoherence mechanisms, the generation of entangled states between optical and mechanical modes, and the implementation of protocols for quantum sensing and quantum information processing in hybrid systems.

Detection of Macroscopic Entanglement via Spin Squeezing in Atomic Ensembles

Macroscopic entanglement in atomic ensembles can be detected experimentally using spin squeezing techniques, which reduce quantum uncertainty in one spin component at the expense of increased uncertainty in a conjugate component. Spin-squeezed states provide clear signatures of entanglement and can be measured through collective spin projections or optical probing. This approach allows the creation and verification of entangled states in large ensembles of atoms, with applications in quantum metrology, precision measurements, and fundamental tests of quantum mechanics at macroscopic scales. Understanding the balance between coherence, entanglement, and decoherence is critical for developing scalable quantum technologies.

3. Numerical Simulations and Phase-Space Analysis

Computational Approaches

Numerical simulations provide essential insights into the dynamics of macroscopic quantum systems, especially when analytical solutions are intractable. These simulations allow researchers to explore entanglement, coherence, and decoherence under various parameter regimes, linking theoretical predictions with experimental observations [15].

Simulation Using QuTiP and MATLAB

Quantum simulation toolkits such as QuTiP and MATLAB enable efficient modeling of open quantum systems. By numerically solving master equations and time-dependent Schrödinger equations, researchers can simulate the evolution of superconducting qubits, optomechanical resonators, and atomic ensembles, capturing both coherent dynamics and environmental effects.

Entanglement Entropy Calculations

Entanglement entropy quantifies quantum correlations between subsystems. Calculating von Neumann or Rényi entropies allows assessment of coherence degradation, generation of macroscopic entangled states, and the impact of environmental noise. These metrics are central to evaluating quantum information capacity and robustness of macroscopic quantum coherence.

Wigner Function and Phase-Space Representation

Wigner functions provide a phase-space representation of quantum states, capturing both classical and quantum features. Visualization of Wigner distributions allows identification of nonclassical features such as squeezing, superposition, and interference, which are critical for understanding the dynamics of macroscopic quantum coherence and quantum-to-classical transitions.

Fidelity Measures and Coherence Quantification

Fidelity measures quantify the similarity between target and evolved quantum states, providing a benchmark for coherence preservation. High-fidelity states indicate robust coherence, while degradation reflects the influence of decoherence mechanisms. These measures are crucial for optimizing control protocols and verifying theoretical models.

Parameter Sensitivity Analysis

Numerical studies examine the sensitivity of macroscopic coherence to parameters such as coupling strength, detuning, damping rates, and thermal occupation numbers. Such analyses reveal critical thresholds for coherence preservation, optimal operating regimes, and the robustness of entangled states against environmental perturbations.

Implications for Experimental Design

Phase-space simulations and entanglement metrics guide experimental design by identifying regimes where macroscopic coherence is stable and detectable. These insights inform the selection of system parameters, environmental controls, and measurement protocols for superconducting circuits, optomechanical resonators, and atomic ensembles in quantum technologies.

4. Applications in Quantum Technologies

Applications

Macroscopic quantum coherence underpins a variety of emerging quantum technologies. The ability to maintain coherent superpositions and entanglement in large-scale systems enables applications in computation, sensing, and communication, bridging fundamental physics with practical device implementation [16–18].

Quantum Information Processing

Superconducting qubits exploit macroscopic coherence for quantum information processing. Coupled qubits form the building blocks of quantum gates, circuits, and processors. Maintaining coherence over extended timescales is essential for reliable computation, error correction, and scalable quantum architectures [16].

Quantum Sensing

Macroscopic coherence enhances the sensitivity of quantum sensors. Devices leveraging superconducting circuits or optomechanical resonators can detect extremely weak forces, magnetic fields, or displacements with high precision. Coherent amplification and entanglement improve measurement fidelity, providing advantages over classical sensing technologies.

Optomechanical Networks

Networks of optomechanical resonators utilize macroscopic coherence to distribute entanglement and enable quantum communication protocols. Coherent interactions between optical and mechanical modes facilitate quantum state transfer, teleportation, and long-distance entanglement, which are critical for building quantum networks [17–18].

Hybrid Quantum Systems

Integration of different macroscopic quantum systems—such as superconducting qubits, atomic ensembles, and optomechanical devices—forms hybrid architectures. These systems combine the advantages of multiple platforms, enabling multifunctional quantum devices for computation, communication, and metrology.

Fundamental Science Applications

Beyond technology, macroscopic coherence provides a platform to study fundamental quantum phenomena. Experiments probe quantum-to-classical transitions, decoherence mechanisms, and collective dynamics in large-scale quantum systems, deepening our understanding of quantum mechanics in macroscopic regimes.

Experimental Realization Considerations

Practical implementation requires control over environmental noise, thermal fluctuations, and system parameters. Understanding the interplay between Hamiltonian dynamics and decoherence guides device design, ensuring that macroscopic coherence can be reliably maintained for quantum technological applications.

5. Future Directions and Emerging Challenges

Future Directions

The field of macroscopic quantum coherence continues to advance with new challenges and opportunities. Scaling, environmental engineering, and integration with emerging quantum platforms are central to expanding the scope and impact of macroscopic quantum systems [19–20].

Scaling Macroscopic Entanglement

Extending entanglement to larger networks and multi-component systems is critical for practical quantum computing and communication. Research focuses on maintaining coherence across extended systems, mitigating decoherence, and developing scalable architectures for macroscopic quantum devices [19].

Hybrid Quantum Systems

Hybridization of different quantum platforms, such as superconducting circuits with optomechanical or atomic systems, allows for enhanced functionality. These systems require careful modeling of cross-platform interactions and coherence preservation to achieve robust macroscopic entanglement and control.

Non-Markovian Environments

Many macroscopic systems interact with non-Markovian environments, where memory effects significantly influence dynamics. Exploring engineered reservoirs and non-Markovian control strategies allows better protection of coherence, prolonging entanglement lifetimes and enhancing quantum operations.

Quantum Thermodynamics

Macroscopic quantum systems provide an ideal platform to study energy transfer, work extraction, and coherence effects in quantum thermodynamics. Understanding how coherence and entanglement influence energy flow is critical for developing quantum engines, refrigerators, and information-based energy protocols [20].

Advanced Control and Error Mitigation

Future research emphasizes advanced control techniques, including feedback, dynamical decoupling, and optimal pulse shaping. These strategies aim to suppress decoherence, stabilize macroscopic superpositions, and optimize fidelity for computation, sensing, and communication applications.

Emerging Challenges

The combination of scalable entanglement, hybrid architectures, and advanced environmental engineering will define the next generation of macroscopic quantum devices. Addressing challenges

in coherence preservation, integration, and quantum thermodynamics will expand the boundaries of both fundamental research and technological applications in macroscopic quantum systems.

Naveed Rafaqat Ahmad also stresses the importance of human oversight in automated governance systems. He argues that AI should function primarily as a decision-support tool rather than a fully autonomous decision-maker. Maintaining human review in sensitive areas of governance—such as law enforcement, welfare eligibility, and regulatory compliance—helps ensure fairness and prevents misuse of automated authority.

SUMMARY

Macroscopic quantum systems reveal profound insights into entanglement and coherence beyond microscopic scales. Experimental and theoretical studies show that environmental coupling, temperature, and system parameters critically influence coherence dynamics and entanglement lifetimes. The graphs illustrate entanglement decay in macroscopic oscillators and coherence loss under thermal noise, emphasizing the fragility of macroscopic quantum effects. Applications span quantum computing, sensing, and communication, while future work aims to extend macroscopic entanglement and mitigate decoherence through engineered environments.

REFERENCES

Reid, M. D. Criteria to detect macroscopic quantum coherence, macroscopic quantum entanglement, and an Einstein–Podolsky–Rosen paradox for macroscopic superposition states. Phys. Rev. A, 100, 052118 (2019). Physical Review Journals

Qiu, W., Cheng, X., Chen, A., Lan, Y., & Nie, W. Controlling quantum coherence and entanglement in cavity magnomechanical systems. Phys. Rev. A, 105, 063718 (2022). Physical Review Journals

Zheng, Q., Xu, J., Yao, Y., & Li, Y. Detecting macroscopic quantum coherence with a cavity optomechanical system. Phys. Rev. A, 94, 052314 (2016). Physical Review Journals+1

Bogdanov, Y. I., Bogdanova, N. A., Fastovets, D. V., & Lukichev, V. F. Study of the Coherence and Entanglement of Macroscopic Quantum Interfering Alternatives. JETP Letters, 115, 484–490 (2022). SpringerLink+1

Juls, F. A. Beduini, et al. A macroscopic quantum state analysed particle by particle. arXiv (2014). arXiv

De Martini, F., Sciarrino, F., & Vitelli, C. Entanglement Test on a Microscopic-Macroscopic System. Phys. Rev. Lett., 100, 253601 (2008). Physical Review Journals

Yadin, B. & Fadel, M. Macroscopic quantum coherence and entanglement in mechanical systems. arXiv (2025). arXiv

Persinger, M. A. & Lavallee, C. F. Theoretical and Experimental Evidence of Macroscopic Entanglement Between Human Brain Activity and Photon Emissions. Journal of Consciousness Exploration & Research. jcer.com+1

Wilhelm, F. K., van der Wal, C. H., ter Haar, A. C., Schouten, R. N., Harmans, C. J. P. M., Mooij, J. E., et al. Macroscopic quantum superposition of current states in a Josephson-junction loop. Physics-Uspekhi, 44, S26 (2001). University of Groningen Research

Manucharyan, V. E., Koch, J., Brink, M., Glazman, L. I., & Devoret, M. H. Coherent oscillations between classically separable quantum states of a superconducting loop. arXiv (2009). arXiv

Chiorescu, I., Nakamura, Y., Harmans, C. J. P. M., & Mooij, J. E. Coherent Quantum Dynamics of a Superconducting Flux Qubit. Science, (2003). qudev.phys.ethz.ch+1

Kawamoto, H. Theoretical Study of Macroscopic Quantum Coherence in SQUIDS. Progress of Theoretical Physics, 80, 973 (1988). OUP Academic

Berkley, A. J., Xu, H., Ramos, R. C., Gubrud, M. A., Strauch, F. W., Johnson, P. R., Anderson, J. R., Lobb, C. J., Wellstood, F. C. Entangled Macroscopic Quantum States in Two Superconducting Qubits. Science / Physical Review (2003). PubMed+2w2agz.com+2

Wei, L. F., Liu, Y., & Nori, F. Generation and control of Greenberger–Horne–Zeilinger entanglement in superconducting circuits. arXiv (2005). arXiv

Nakamura, Y., Pashkin, Yu. A., & Tsai, J. S. Coherent control of macroscopic quantum states in a single-Cooper-pair box. arXiv (1999). arXiv

Pierre, F., et al. Macroscopic Electron Quantum Coherence in a Solid-State Circuit. Phys. Rev. X, 9, 021030 (2019). Physical Review Journals

Kawamoto, H. & others: Quantum Coherence in Loopless Superconductive Networks. Entropy, 24, 1690 (2022). MDPI

Direkci, S., Winkler, K., Gut, C., Hammerer, K., Aspelmeyer, M., & Chen, Y. Macroscopic quantum entanglement between an optomechanical cavity and a continuous field in presence of non-Markovian noise. Phys. Rev. Research, 6, 013175 (2024). Physical Review Journals

Wei, L.-F., Liu, Y.-x., & Nori, F).

Voss, R. F., & Webb, R. A. / related: Macroscopic quantum tunnel splittings in superconducting phase qubit. (Experimental / theoretical) PubMed

Ahmad, N. R. (2024). AI-enabled public governance in developing states: Service delivery gains, accountability risks, and a practical risk-based regulatory model. https://doi.org/10.52152/wja5db40